

# OHIO COUNTY

USC&GS BM F 306, 1964

In Dearborn County, Aurora Quad., in the SE  $\frac{1}{4}$  of Section 4, T. 4 N., R. 1 W., 1<sup>st</sup> P. M.; about 1.7 miles south-southeast of Aurora; 2.1 miles generally south-southeast along State Road 56 from the U.S. Post Office in Aurora to a farm road east, thence 0.1 mile east to a U.S. Geological Survey test well; set in the top of a copper coated steel road, 26 feet north of the centerline of the farm road, 14 feet northeast of a lone 30-inch Hickory tree, 2 feet west of a metal witness post, 1 foot east of the test well, 0.4 foot above the ground, about level with the farm road; a U.S. Coast and Geodetic Survey bench mark tablet, stamped "F 306 1964".

2<sup>nd</sup> Order

471.518 N.G.V.D. 1929

USC&GS BM G 306, 1964

In Dearborn County, Aurora Quad., in the NW  $\frac{1}{4}$  of Section 9, T. 4 N., R. 1 W., 1<sup>st</sup> P. M.; about 1.8 miles south-southeast of Aurora; at the Riverside Cemetery, at a six-foot box culvert under old State Road 56; set in the top at the north end of the west concrete headwall of the culvert, 300 feet west of the centerline of new State Road 56, 180 feet south of the intersection of the old highway and a cemetery entrance drive, 20 feet west of the centerline of old State Road 56, 7 feet east of the cemetery fence, about level with old State Road 56; a U.S. Coast and Geodetic Survey bench mark tablet, stamped "G 306 1964".

2<sup>nd</sup> Order

477.657 N.G.V.D. 1929

ISHC BM OHIO S 2

In Ohio County, Aurora Quad., in the N  $\frac{1}{2}$  of Section 9, T. 4 N., R. 1 W., 1<sup>st</sup> P. M.; about 2.0 miles south-southeast of Aurora; at the State Road 56 concrete bridge over Laughery Creek; set in the top of and at the south end of the west concrete sidewalk of the bridge, 18 feet west of the centerline of the highway, 0.8 foot north of the south end of the west sidewalk, 0.9 foot above the highway; a Indiana State Highway Commission bench mark tablet, stamped "OHIO S 2".

2<sup>nd</sup> Order

481.623 N.G.V.D. 1929

IFC&WRC BM OHI 1, 1965

In Ohio County, Aurora Quad., in the W ½ of Section 9, T. 4 N., R. 1 W., 1<sup>st</sup> P. M.; about 2.5 miles south-southeast of Aurora; at the Old State Road 56 single-span steel truss bridge over Laughery Creek; set in the top of and at the south end of the west concrete wing wall of the bridge, 12 feet west of the centerline of the highway, 1 foot east of the east end of the wing wall, 0.7 foot above the highway; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "OHI 1 1965".

2<sup>nd</sup> Order

477.695 N.G.V.D. 1929

IFC&WRC TBM LC 1, 1965

In Ohio County, Aurora Quad., in the NW ¼ Section 9, T. 4 N., R. 1 W., 1<sup>st</sup> P. M.; about 2.7 miles southeast of Aurora; at the intersection of Old State Road 56 and Hartford Pike Road; set in the north side of a 25-inch tree, in a lot surrounded by a barn and 2 wooden shacks, 160 feet northeast of the northwest corner of Fisk's General Store, 30 feet southeast of the centerline of Old State Road 56, 0.6 foot above the ground, about level with the highway; a railroad spike driven through an aluminum tag, stamped "TBM LC 1 1965".

2<sup>nd</sup> Order

485.765 feet N.G.V.D. 1929

IFC&WRC BM OHI 2, 1965

In Ohio County, Aurora Quad., in the NE ¼ Section 17, T. 4 N., R. 1 W., 1<sup>st</sup> P. M.; about 3.0 miles south of Aurora; about 0.7 mile along Hartford Pike Road from its intersection with Old State Road 56 southwest to a private road leading to Laughery Creek; set in the top of a concrete post, 16 feet southeast of the centerline of Hartford Pike Road, 13 feet southwest of the extended centerline of the private road, 2.0 feet northwest of a power pole, 0.3 foot above the ground; a Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "OHI 2 1965".

2<sup>nd</sup> Order

488.047 feet N.G.V.D. 1929

IFC&WRC TBM LC 2, 1965

In Ohio County, Aurora Quad., in the NW  $\frac{1}{4}$  of Section 17, T. 4 N., R. 1 W., 1<sup>st</sup> P. M.; about 3.0 miles south of Aurora; about 1.7 miles southwest along Hartford Pike Road from its "T" road intersection with Old State Road 56 to the E. Stolhowlett residence; set in the west side of a 21-inch tree, 230 feet northwest of the E. Stolhowlett mailbox, 10 feet northeast of the centerline of the road, 1.0 foot below the road; a railroad spike driven through an aluminum tag, stamped "TBM LC 2 1965".

2<sup>nd</sup> Order

496.131 feet N.G.V.D. 1929

IFC&WRC BM OHI 3, 1965

In Ohio County, Aurora Quad., in the NE  $\frac{1}{4}$  of Section 18, T. 4 N., R. 1 W., 1<sup>st</sup> P. M.; about 2.6 miles south of Aurora; about 2.0 miles generally southwest along Hartford Pike Road from its "T" road intersection with Old State Road 56 to a twenty-foot concrete bridge over a small stream; set in the top of the southeast concrete wingwall of the bridge, 11 feet south of the centerline of the road, 0.7 foot north of the south end of the top step of the wingwall, 1 foot west of the east face of the wingwall, about level with the road; a Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "OHI 3 1965".

2<sup>nd</sup> Order

483.785 feet N.G.V.D. 1929

IFC&WRC BM OHI 4, 1965

In Ohio County, Aurora Quad., in the SE  $\frac{1}{4}$  of Section 13, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 3.5 miles southwest of Aurora; 1.7 miles generally northeast along the Hartford Pike Road from the general store in Hartford to a small woods on the northwest side of the road; set in the top of a concrete post, 21 feet northwest of power pole N. TB-56E-78, 0.3 foot above the ground, about level with the road; a Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "OHI 4 1965".

2<sup>nd</sup> Order

493.236 feet N.G.V.D. 1929

IFC&WRC TBM LC 3, 1965

In Ohio County, Aurora Quad., in the SE  $\frac{1}{4}$  of Section 13, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 3.6 miles southwest of Aurora; 1.5 miles generally northeast along Hartford Pike Road from the general store in Hartford to an open field on the northwest side of the road; set in the northwest side of a 28-inch tree on a fence line, 21 feet southeast of the centerline of the road, 2 feet above the road, 0.5 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM LC 3 1965".

2<sup>nd</sup> Order

512.647 feet N.G.V.D. 1929

IFC&WRC BM OHI 5, 1965

In Ohio County, Aberdeen Quad., in the NW  $\frac{1}{4}$  of Section 24, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 0.9 mile northeast of Hartford; 1.1 miles generally northeast along Hartford Pike Road from the general store in Hartford to a twenty-foot concrete bridge over a small stream; set in the top of the south concrete wingwall of the bridge, 11 feet southeast of the centerline of the road, 1 foot east of the west face and 0.5 foot northwest of the southeast end of the top step of the wingwall, 0.3 foot above the road; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "OHI 5 1965".

2<sup>nd</sup> Order

482.918 feet N.G.V.D. 1929

IFC&WRC TBM LC 4, 1965

In Ohio County, Aberdeen Quad., in the W  $\frac{1}{2}$  of Section 24, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 0.6 mile northeast of Hartford; 0.7 mile generally northeast along the Hartford Pike Road from the general store in Hartford to a small bridge over an unnamed stream; set in the southeast side of a blazed 15-inch trunk of a twin-trunked tree, 120 feet northeast of the bridge, 16 feet northwest of the centerline of the road, 1 foot above the ground, 0.5 foot below the road; a railroad spike driven through an aluminum tag, stamped "TBM LC 4 1965".

2<sup>nd</sup> Order

479.888 feet N.G.V.D. 1929

IFC&WRC BM OHI 6, 1965

In Ohio County, Aberdeen Quad., in the SE  $\frac{1}{4}$  of Section 23, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; at Hartford; set in the top of and at the northeast corner of a six-foot square concrete well housing in the back yard of the Glenn G. Wilber residence, 240 feet west of the junction of Hartford Pike and Hartford Ridge Roads, 25 feet south of the centerline of Hartford Pike Road; 2.0 feet above the ground, 3.0 feet above the road; a Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "OHI 6 1965".

2<sup>nd</sup> Order

520.580 feet N.G.V.D. 1929

IFC&WRC TBM LC 5, 1965

In Ohio County, Aberdeen Quad., in the SE  $\frac{1}{4}$  of Section 22, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 0.7 mile west of Hartford; 0.8 mile west along the Hartford Pike Road from the general store in Hartford to a 21-foot concrete bridge over a small stream; set in the top of and at the west end of the north headwall of the bridge, 10 feet north of the centerline of the road, 0.8 foot east of the west end of the headwall, 3 feet above the ground; a chiseled triangle.

2<sup>nd</sup> Order

479.799 feet N.G.V.D. 1929

IFC&WRC BM OHI 7, 1965

In Ohio County, Aberdeen Quad., in the SW  $\frac{1}{4}$  of Section 22, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 1.1 miles west of Hartford; 1.3 miles generally west along the Hartford Pike Road from the general store in Hartford to a forty-foot bridge over a small stream; set in the top of and at the east end of the north concrete bridge seat, 11 feet north of the centerline of the bridge, 0.3 foot south of the north end of the bridge seat, 2 feet below the bridge floor; a Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "OHI 7 1965".

2<sup>nd</sup> Order

474.163 feet N.G.V.D. 1929

IFC&WRC TBM LC 6, 1965

In Ohio County, Aberdeen Quad., in the SE  $\frac{1}{4}$  of Section 21, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 1.8 miles west of Hartford; 2.0 miles generally west along the Hartford Pike Road from the general store in Hartford to a bend in the road southwest; set in south side of a 28-inch tree, 14 feet north of the centerline of the road, 0.8 foot above the ground, 0.2 foot above the road; a railroad spike driven through an aluminum tag, stamped "TBM LC 6 1965".

2<sup>nd</sup> Order

499.828 feet N.G.V.D. 1929

IFC&WRC BM OHI 8, 1965

In Ohio County, Aberdeen Quad., in the SW  $\frac{1}{4}$  of Section 21, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 2.0 miles west of Hartford; 2.4 miles generally west and south along the Hartford Pike Road from the general store in Hartford to power pole No. TB 56E 7 on the west side of the road; set in the top of a concrete post, 15.4 feet northwest of the centerline of the road, 2.3 feet southeast of the power pole, 0.2 foot above the ground; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "OHI 8 1965".

2<sup>nd</sup> Order

480.957 feet N.G.V.D. 1929

IFC&WRC TBM LC 7, 1965

In Ohio County, Bear Branch Quad., in the NW  $\frac{1}{4}$  of Section 28, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 0.6 mile east of Milton; 0.9 mile generally south along State Road 262 from the Calvary Baptist Temple in Milton to a T-road northeast (Hartford Pike Road), thence 1.0 mile generally north to a two-foot pipe culvert under the road; set in the top of and at the southwest end of the northwest concrete headwall; 120 feet southwest of the M. Sharp and son mailbox, 10 feet northwest of the centerline of the road, 0.8 foot above the road; a chiseled triangle.

2<sup>nd</sup> Order

490.883 feet N.G.V.D. 1929

IFC&WRC TBM LC 8, 1965

In Ohio County, Bear Branch Quad., in the SW  $\frac{1}{4}$  of Section 28, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 0.6 mile east of Milton; 0.9 mile generally south along State Road 262 from the Calvary Baptist Temple in Milton to a T-road northeast (Hartford Pike Road), thence 0.5 mile generally north to a red house on the east bank of Laughery Creek; set in the south side of a 21-inch tree, 120 feet south of the southeast corner of the house, 35 feet west of the centerline of the roads, 0.7 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM LC 8 1965".

2<sup>nd</sup> Order

502.017 feet N.G.V.D. 1929

IFC&WRC BM OHI 9

In Ohio County, Bear Branch Quad., in the NE ¼ of Section 32, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 0.6 mile southeast of Milton; at the State Road 262 single-span steel truss bridge over South Fork Laughery Creek; set in the top of the southeast concrete wingwall of the bridge, 13 feet north of the south end of the bridge, 10 feet east of the centerline of the bridge, 2.0 feet below the bridge floor; a Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "OHI 9 1965".

2<sup>nd</sup> Order

490.435 feet N.G.V.D. 1929

USGS TBM UE 490.7

In Ohio County, Bear Branch Quad., in the NE ¼ of Section 32, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 0.6 mile southeast of Milton; at the State Road 262 single-span steel truss bridge over South Fork Laughery Creek; set in the top of the southwest concrete wingwall of the bridge, 11.8 feet south of the south end of the west side of the bridge truss, 11 feet west of the centerline of the bridge, 2.0 feet below the bridge floor; a chiseled square.

2<sup>nd</sup> Order

490.513 feet N.G.V.D. 1929

IFC&WRC BM OHI 10, 1965

In Ohio County, Bear Branch Quad., in the SE ¼ of Section 29, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 0.2 mile north of Milton; at the State Road 262 steel truss bridge over Laughery Creek; set in the top of the southwest concrete abutment of the bridge, 8 feet northwest of the centerline of the highway, 2 feet north of the south end of the abutment, 2 feet above the highway; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "OHI 10 1965".

2<sup>nd</sup> Order

494.656 N.G.V.D. 1929

IFC&WRC TBM LC 9, 1965

In Ohio County, Bear Branch Quad., in the SW  $\frac{1}{4}$  of Section 29, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 0.5 mile west of Milton; 0.2 mile southwest along Bear Branch Road from its junction with State Road 262 at Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 0.4 mile generally west and south to a small cabin on the east bank of Laughery Creek; set in the north side of a 11-inch Walnut tree, 85 feet south of the southeast corner of the cabin, 15 feet west of the centerline of the road, 3.0 feet below the road, 1.0 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM LC 9 1965".

2<sup>nd</sup> Order

499.942 feet N.G.V.D. 1929

IFC&WRC BM OHI 11, 1965

In Ohio County, Bear Branch Quad., in the N  $\frac{1}{2}$  of Section 31, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 1.0 mile west-southwest of Milton; 0.2 mile southwest along Bear Branch Road from its junction with State Road 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 1.1 miles generally west and south to a farmhouse on the north side of the road; set in the top of a concrete post, 130 feet southeast of the southeast corner of the farmhouse, 21 feet east of the centerline of the driveway, 12 feet southeast of transformer power pole No. TC 12 W 21S 51 1; 0.3 foot above the ground; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "OHI 11 1965".

2<sup>nd</sup> Order

502.008 feet N.G.V.D. 1929

IFC&WRC TBM LC 10, 1965

In Ohio County, Bear Branch Quad., in the NW  $\frac{1}{4}$  of Section 31, T. 4 N., R. 2 W., 1<sup>st</sup> P. M.; about 1.5 miles west-southwest of Milton; 0.2 mile southwest along Bear Branch Road from its junction with State Road 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 1.7 miles generally west to an old farmhouse foundation on the south side of the road; set in the east side of a 12-inch blazed leaning tree, 140 feet west of the northeast corner of the foundation, 22 feet northwest of the centerline of the road, 0.8 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM LC 10 1965".

2<sup>nd</sup> Order

508.909 feet N.G.V.D. 1929

IFC&WRC TBM LC 11, 1965

In Ohio County, Bear Branch Quad., in the NE ¼ of Section 36, T. 5 N., R. 3 W., 1<sup>st</sup> P. M.; about 1.8 miles west-southwest of Milton; 0.2 mile southwest along Bear Branch Road from its junction with State Road 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 2.1 miles generally west and south to a small cabin on the east bank of Laughery Creek; set in the northwest side of the southwest trunk of a 16-inch twin-trunked Walnut tree, 39.7 feet southwest of the south corner of a lone cabin on the west side of the road, 11.6 feet northwest of the centerline of the road, 1.3 feet above the ground, 0.6 foot below the road; a railroad spike driven through an aluminum tag, stamped "TBM LC 11 1965".

2<sup>nd</sup> Order

506.965 feet N.G.V.D. 1929

IFC&WRC TBM LC 12, 1965

In Ohio County, Bear Branch Quad., in the NE ¼ of Section 1, T. 4 N., R. 3 W., 1<sup>st</sup> P. M.; about 2.1 miles southwest of Milton; 0.2 mile southwest along Bear Branch Road from its junction with State Road 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 2.8 miles generally west and south to where Laughery Creek bends to the west; set in the west side of a 20-inch Walnut tree, 500 feet southeast along the road from the south side of a lone cabin, 14 feet east of the centerline of the road, 2.0 feet above the road, 0.7 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM LC 12 1965".

2<sup>nd</sup> Order

531.397 feet N.G.V.D. 1929

IFC&WRC BM OHI 12, 1965

In Ohio County, Bear Branch Quad., in the NW ¼ of Section 1, T. 4 N., R. 3 W., 1<sup>st</sup> P. M.; about 2.7 miles southwest of Milton; 0.2 mile southwest along Bear Branch Road from its junction with State Road 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 3.6 miles generally west and south to the C.A. Land residence; set in the top of a concrete post, 110 feet west of the residence mailbox; 16 feet north of the centerline of the road, 1.0 foot west of a steel rod witness post, 0.2 foot above the ground; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "OHI 12 1965".

2<sup>nd</sup> Order

557.228 feet N.G.V.D. 1929

IFC&WRC TBM LC 13, 1965

In Ohio County, Bear Branch Quad., in the SW ¼ of Section 1, T. 4 N., R. 3 W., 1<sup>st</sup> P. M.; about 3.2 miles southwest of Milton; 0.2 mile southwest along Bear Branch Road from its junction with State Road 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 4.2 miles generally west and south to a clearing on the south side of the road; set in the northeast side of a fifty-inch tree, 10 feet north of the centerline of the road, 1 foot above the road, 0.7 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM LC 13 1965".

2<sup>nd</sup> Order

531.795 feet N.G.V.D. 1929

USGS RM 3

In Ohio County, Bear Branch Quad., in the SW ¼ of Section 2, T. 4 N., R. 3 W., 1<sup>st</sup> P. M.; about 3.5 miles southwest of Milton; 0.2 mile southwest along bear Branch Road from its junction with State Road 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 4.8 miles generally west and south to a private road north, thence 0.2 mile north to a U.S. Geological Survey Stream Gaging Station on the east bank of Laughery Creek; set in the top of a concrete post, 32 feet north of and 7 feet west of the center of the pipe well; a U.S. Geological Survey gaging station tablet.

2<sup>nd</sup> Order

540.765 N.G.V.D. 1929

USGS RM 6

In Ohio County, Bear Branch Quad., in the SW ¼ of Section 2, T. 4 N., R. 3 W., 1<sup>st</sup> P. M.; about 3.5 miles southwest of Milton; 0.2 mile southwest along bear Branch Road from its junction with State Road 262 at the Calvary Baptist Temple in Milton to a T-road west (Laughery Creek Road), thence 4.8 miles generally west and south to a private road north, thence 0.2 mile north to a U.S. Geological Survey Stream Gaging Station on the east bank of Laughery Creek; set on the southeast corner of the staff section (10.14-13.54) foundation; a chiseled square.

2<sup>nd</sup> Order

573.623 N.G.V.D. 1929

USGS TBM UE 577.6

In Dearborn County, Bear Branch Quad., in the E ½ of Section 9, T. 4 N., R. 3 W., 1<sup>st</sup> P. M.; about 2.6 miles south of Farmers Retreat; 3.1 miles generally south along a paved road from its junction with State Road 62 at the St. John's Lutheran Church in Farmers Retreat to a single-span steel truss bridge over Laughery Creek (Lost Bridge); set in the top of and at the north corner of the bridge floor, 8 feet northwest of the centerline of the bridge, 0.7 foot southwest of the northeast end of the bridge floor; a painted square.

2<sup>nd</sup> Order

577.409 N.G.V.D. 1929

IFC&WRC BM OHI 13, 1965

In Ohio County, Bear Branch Quad., in the SE ¼ of Section 9, T. 4 N., R. 3 W., 1<sup>st</sup> P. M.; about 2.6 miles south of Farmers Retreat; 3.1 miles generally south along a paved road from its junction with State Road 62 at the St. John's Lutheran Church in Farmers Retreat to a single-span steel truss bridge over Laughery Creek; set in the top of the west concrete wing wall, 12 feet northwest of the centerline of the bridge, level with the bridge floor; a Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "OHI 13 1965".

2<sup>nd</sup> Order

576.734 N.G.V.D. 1929

USGS BM 31 EOM 1957

In Dearborn County, Bear Branch Quad., in the NE ¼ of Section 9, T. 4 N., R. 3 W., 1<sup>st</sup> P. M.; about 2.2 miles south of Farmers Retreat; 2.6 miles generally south along a paved road from its junction with State Road 62 at the St. John's Lutheran Church in Farmers Retreat to a T-road west; set in the top of a concrete post, 81 feet south of the centerline of the road west, 12 feet west of the centerline of the north-south road, 2.0 feet east of power pole No. ED 172 W 28 N 2, 0.3 foot above the ground; a U.S. Geological Survey bench mark tablet, stamped "31 EOM 1957 598".

2<sup>nd</sup> Order

598.202 N.G.V.D. 1929

IFC&WRC BM DEA 6, 1965

In Dearborn County, Bear Branch Quad., in the NE ¼ of Section 8, T. 4 N., R. 3 W., 1<sup>st</sup> P. M.; about 2.3 miles southwest of Farmers Retreat; 2.6 miles generally south along a paved road from its junction with State Road 62 at the St. Johns Lutheran Church in Farmers Retreat to a T-road west, thence 1.0 mile west to a small cabin at a ford across Laughery Creek; set in the top of a concrete post near the top of the high east bank in the southwest corner of an open field, 75 feet northeast of the northeast corner of the cabin, 70 feet north of the centerline at the bend of the road, 4.0 feet east of the top of the east bank, 0.7 foot northwest of a yellow painted steel witness rod, 0.3 foot above the ground; a Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "DEA 6 1965".

2<sup>nd</sup> Order

593.050 N.G.V.D. 1929

IFC&WRC BM DEA 7, 1965

In Dearborn County, Bear Branch Quad., in the NE ¼ of Section 5, T. 4 N., R. 3 W., 1<sup>st</sup> P. M.; about 1.6 miles southwest of Farmers Retreat; 0.4 mile south along a paved road from its junction with State Road 62 at the St. John's Lutheran Church in Farmers Retreat to an east-west crossroad, thence 1.6 miles generally west and south to a ford across Laughery Creek and a 27-foot concrete bridge over a small stream; set in the top of the southeast concrete wingwall of the bridge, 11 feet south of the centerline of the road, 0.6 foot east of the west face of the wingwall, 1.0 foot above the road; a Indiana Flood Control and Water Resources Commission bench mark tablet, stamped "DEA 7 1965".

2<sup>nd</sup> Order

595.820 N.G.V.D. 1929

IFC&WRC TBM LC 16, 1965

In Dearborn County, in the NW ¼ Section 5, T. 4 N., R. 3 W., 1<sup>st</sup> P. M.; about 2.2 miles southwest of Farmers Retreat; 0.4 mile south along a paved road from its junction with S.R. 62 at the St. John's Lutheran Church in Farmers Retreat to an east-west crossroad, thence 2.3 miles generally west and south to a ford across Laughery Creek; set in the west side of an 18-inch tree, 130 feet east from the ford, 75 feet south from a white cabin, 16 feet east from the centerline of the driveway to the cabin, 11 feet north from the centerline of the road, 1 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM LC 16 1965".

2<sup>nd</sup> Order

609.193 feet N.G.V.D. 1929

IFC&WRC TBM LC 17

In Dearborn County, in the SW ¼ Section 32, T. 5 N., R. 3 W., 1<sup>st</sup> P. M.; about 1.2 miles southeast from Friendship; 0.7 mile southeast along S.R. 62 from the American Baptist Church in Friendship to a bend in the highway northeast and a Y-road southeast, thence 0.6 mile southeast; set in the east side of a 36-inch blazed and painted sycamore tree, 66 feet west from the westernmost of two trees in the center of the road, 80 feet south from the south edge of an open field and a fence line, 16 feet north from the centerline of the road, 1 foot above the ground; a railroad spike driven through an aluminum tag, stamped "TBM LC 17 1965".

2<sup>nd</sup> Order

602.782 feet N.G.V.D. 1929

IFC&WRC TBM LC 18

In Ripley County, in the N ½ Section 13, T. 6 N., 12 E., 1<sup>st</sup> P. M.; about 0.5 mile southeast from Friendship; 0.5 mile southeast along S.R. 62 from the American Baptist Church in Friendship to a single-span steel truss bridge over Caesar Creek; set in the top of the west stone wing wall of the bridge, (four steps down from top), 10.1 feet west from the west corner of the bridge truss, 17 feet northwest from the centerline of the highway, 3 feet below the highway; a chiseled triangle.

2<sup>nd</sup> Order

623.493 feet N.G.V.D. 1929

IFC&WRC BM RIP 1, 1965

In Ripley County, Cross Plains Quad., in the NW ¼ of Section 13, T. 6 N., R. 12 E., 1<sup>st</sup> P. M.; about 0.3 mile southeast of Friendship; 0.3 mile southeast along State Road 62 from the American Baptist Church in Friendship to a T-road southwest and a single-span wooden deck bridge over Laughery Creek; set in the top of the north concrete bridge seat, 30 feet southwest from the centerline of State Road 62, 8 feet northwest of the centerline of the bridge, 1.0 foot below the bridge floor; a Indiana Flood Control and Water Resources Commission bronze bench mark tablet, stamped "RIP 1 1965".

2<sup>nd</sup> Order

620.187 N.G.V.D. 1929